

**ATTACHMENT TO PC RESOLUTION NO. 24-11
TENTATIVE TRACT MAP NO. 22-009 (TTM 67239)
CONDITIONS LIST
May 20, 2024**

GENERAL/ADVISORY

1. Unless otherwise indicated herein, the development and/or use of the site shall be in substantial conformance with approved site plans on file in the Community Development Department.
2. The approval of this tentative map shall expire 24 months from the date of conditional approval. The applicant may file for three one-year extensions of the conditionally approved map prior to the date of expiration. If such extension is requested, it must be filed no later than 60 days prior to expiration.
3. The applicant shall defend, indemnify, and hold harmless the City, its elected officials, officers, employees and representatives from any claim, action, or proceeding against the City or its elected officials, officers, employees and representatives to attack, set aside, void, or annul, an approval of the City concerning this subdivision, which action is brought within the time period provided for in Section 66499.37 of the Subdivision Map Act, or an approval of the City concerning this site plan review and the use(s) and development permitted by its approval. The City shall promptly notify the applicant of any claim, action, or proceeding and shall cooperate fully in the defense; this condition shall not be imposed if the City fails to promptly notify the applicant or fails to cooperate fully in the defense.
4. If the map is to be recorded in phases, the applicant shall submit a phasing plan and phasing condition/mitigation measure matrix to the Community Development Department for approval thirty (30) days prior to filing the final map of the first phase.
5. All requirements of the Lancaster Municipal Code and the specific zoning of the subject property must be complied with unless otherwise set forth in the permit or shown on the approved plot plan.
6. The following items/plans shall be submitted to the Public Work Department and Community Development Department for approval prior to issuance of permits:
 - a. Lighting Plan;
 - b. Building Plan;
 - c. Grading Plan; and
 - d. Landscape Plan: Landscape plans shall be prepared in accordance with Ordinance No. 907.

7. All necessary permits shall be obtained from the Public Works Department prior to any construction, remodeling, or replacement of buildings or other structures.
8. Prior to building permit issuance, the applicant shall pay all applicable development fees including, but not limited to, the following: 1) Los Angeles County Sanitation District Sewer Connection Fee; 2) Interim School Facilities Financing Fee; 3) Traffic Signal Fee; 4) Planned Local Drainage Facilities Fee; 5) Dwelling Unit Fee; 6) Traffic Impact Fees; 7) Urban Structure Program Fees (Park Development Fee, Administrative Office Fee, Corporate Yard Fee, and Operations Impact Fee, etc.); and 8) Landscape Fees.
9. If any provision of this permit is held or declared to be invalid, the permit shall be void, and the privileges granted hereunder shall lapse.
10. It is further declared and made a condition of this permit that if any condition hereof is violated, or if any law, statute, or ordinance is violated, the permit shall be suspended and the privileges granted hereunder shall lapse provided that the applicant has been given written notice to cease such violation and has failed to do so within the time period indicated in the notice.
11. The applicant is advised that details shown on the tentative map are not necessarily approved. Any details which are inconsistent with requirements of ordinances, general conditions of approval, or City policies must be specifically approved by the City in writing.
12. The applicant shall contact the Los Angeles County Fire Department to determine the improvements that may be required to protect the property from fire hazards and shall provide and install at their expense such improvements as may be deemed necessary by the Los Angeles County Fire Department. Fire protection improvements shall be completed to the satisfaction of the Community Development Director prior to certification of completion and occupancy of the subject buildings.
13. Prior to occupancy of any buildings or structures, the permittee shall request, no less than forty-eight (48) hours in advance, that on-site inspection be made by the Community Development Department to verify that development of the property has occurred in conformity with conditions as enumerated in this permit.
14. The applicant shall be responsible for notifying the Community Development Department in writing of any change in ownership, designation of a new engineer, or change in the status of the developer, within thirty (30) days of said change.
15. It is further declared and made a condition of this permit that if any condition hereof is violated, or if any law, statute, or ordinance is violated, the permit shall be suspended and the privileges granted hereunder shall lapse provided that the applicant has been given written notice to cease such violation and has failed to do so within the time period set forth in the notice.

16. All construction and/or installation of improvements shall be undertaken to the specification of the Lancaster Municipal Code.
17. Prior to occupancy of any buildings or structures, the permittee shall request, no less than forty-eight (48) hours in advance, that on-site inspection be made by the Community Development Department to verify that development of the property has occurred in conformity with conditions as enumerated in this permit.

FEES, ASSESSMENTS, AND ANNEXATIONS

18. Prior to recordation of the final map and/or building occupancy, whichever comes first, the property shall be annexed into the Lancaster Drainage Maintenance District.
19. Prior to recordation of the final map and/or building occupancy, whichever comes first, the property shall be annexed into the Lancaster Lighting Maintenance District.
20. Prior to recordation of the final map and/or building occupancy, whichever comes first, the property shall be annexed into the Lancaster Landscape Maintenance District.
21. Prior to recordation of the final map and/or building occupancy, whichever comes first, the project shall be annexed into the City of Lancaster Community Facilities District.
22. The applicant is hereby advised that this project is subject to 1st year's assessment fees for the following maintenance districts, as applicable, prior issuance of any related permits (grading, building, sewer, etc.): 1) Lancaster Drainage Maintenance District, 2) Lancaster Lighting Maintenance District, 3) Lancaster Sewer Maintenance District, and 4) Lancaster Landscape Maintenance District.

COMMUNITY DEVELOPMENT

23. Elevations and architectural details of the future buildings are subject to review and approval of the Community Development Director to ensure that they are compatible with the established architectural design guidelines. This includes, but is not limited to, architectural style, color, exterior materials, as well as the material and type of walls and/or fences. The applicant shall provide 360-degree architectural treatments for all proposed buildings.
24. The applicant is hereby advised that the use of any signs, strings of pennants, banners or streamers, clusters of flags and similar attention-getting devices are prohibited, except where there has been prior written approval from the Community Development Department.
25. Prior to issuance of grading permits, the applicant shall receive approval from the Los Angeles County Fire Department.

26. Prior to occupancy, construct a masonry wall along the perimeter of the subdivision where a rear, side, or street side yard abuts other property, or is adjacent to a street, in accordance with Section 17.28.030.C of the Lancaster Municipal Code; color and design to be specifically approved by the Community Development Director. If the project is developed in phases, a masonry wall must be provided around the perimeter of each recorded phase in accordance with this condition prior to occupancy of any units in that phase. The requirement for perimeter walls may be waived or modified by the Community Development Director in order to prevent the creation of double walls where an adequate wall which would meet the intent of this condition is already in existence, or where there will be continuous work in progress on adjacent phases. All walls required by this condition shall meet the structural requirements of the City of Lancaster as specified by the Community Development Director.
27. All walls and fences shall be maximum height of six height tall from natural grade.
28. The applicant shall submit a Director's Review for production homes/plot plans.

CAPTIAL ENGINEERING

GENERAL/ADVISORY

29. Prior to building/grading permit issuance, whichever comes first, the applicant shall submit a geotechnical report as detailed in Chapter 18 of the latest edition of the California Building Code and as required by the Public Works Department. The geotechnical report shall be completed in accordance with the County of Los Angeles, Department of Public Works, Manual for Preparation of Geotechnical Reports.
30. An encroachment permit shall be obtained from the Public Works Department prior to doing any work within the public right-of-way.
31. Prior to final map recordation, the applicant shall be required to install distribution lines and individual service lines for appropriate cable television systems to each parcel in the subdivision.
32. Prior to permit issuance, the applicant by agreement with the Public Works Director, may guarantee installation of improvements as determined by the Public Works Director through faithful performance bonds, letters of credit, or any other acceptable means acceptable to the Public Works Director, Finance Director, and/or City Attorney.
33. Provide at least 40 feet of frontage at the property line and approximately radial lot lines for all lots fronting on the cul-de-sacs or knuckles.

STREETS

34. Prior to building occupancy, the applicant shall repair or replace any broken, damaged, and/or non-ADA compliant pavement, curb, gutter, and sidewalk on streets within or abutting the project to street centerline to the satisfaction of the Public Works Director.
35. The applicant shall comply with Lancaster Municipal Code, Chapter 13.20, Article II, entitled Installation/Relocation for New/Expanded Development of Overhead Utilities as directed by the Public Works Director. (Ordinance No. 361) (DE)
36. The proposed project shall comply with the City of Lancaster Holiday Moratorium Policy. No excavation or work shall occur within the public right-of-way on Primary Arterials, Secondary Arterials, and Collector Streets between November 15th to January 2nd, except work pertaining to public safety or with the written permission of the City Manager. Work commenced prior to the restriction period must be in such a condition that it will be resurfaced prior to November 15th.

DRAINAGE/GRADING

37. Prior to final map approval, grading permit issuance, and/or storm drain permit issuance, the applicant shall acquire and dedicate all required easements for drainage improvements as identified in the final hydrology/hydraulic report on the Tract Map or by separate instrument. All right-of-way dedications will be to the satisfaction of the City Engineer.
38. Provide for contributory drainage from adjoining properties and return drainage to its natural conditions or secure off-site drainage acceptance letters from affected property owners.
39. Prior to issuance of a grading permit, the applicant shall submit a grading plan consistent with the approved site plan and conditions of approval. The grading plan shall be based on an approved drainage area study and hydrology/hydraulic report, detailed recent topographic survey, and a detailed engineering soils report specifically approved by the geologist and/or soils engineer that addresses all submitted recommendations.
40. Prior to final map approval or grading permit issuance, whichever comes first, the applicant shall obtain approval of the final hydrology/hydraulic study. The final drainage facilities shall be based on the approved hydrology/hydraulic study and will be designed based on the City of Lancaster Engineering Design Guidelines Policies and Procedures Sections 2.7 and 3, and/or to the satisfaction of the Public Works Director. Any on-site and/or off-site mitigation measures required by the approved hydrology/hydraulic study shall be constructed prior to first occupancy. (Custom)
41. Prior to building occupancy, all drainage facilities and streets with secondary overflow are to be constructed and approved prior to occupancy of any structure within the project to the satisfaction of the Public Works Director.

42. Prior to final map approval or grading permit issuance, the streets shall be designed to avoid creating sump conditions to the satisfaction of the Public Works Director. If a sump condition is unavoidable, design streets so that secondary overflow is through the streets and, as needed, design and install redundant drainage systems (ie additional storm drain line and catch basin systems). Secondary overland overflow shall not be allowed through lot easements. Secondary overland overflow shall be allowed through fee title dedicated drainage paths, paseos or other pedestrian walkways and passageways.
43. The project shall comply with the Best Management Practices (BMPs) of the National Pollutant Discharge Elimination System (NPDES) and all NPDES Permit Requirements.
44. Prior to building occupancy, install BMPs to treat first flush.
45. Prior to issuance of any construction related permits (grading, building, etc.), a Dust Control Plan shall be prepared and submitted to the Antelope Valley Air Quality Management District (AVAQMD) in accordance with Rule 403 of the AVAQMD. An approved copy of the Dust Control Plan shall be submitted to the Community Development Department for residential projects of 10 acres and larger and for commercial/industrial projects of 5 acres and larger. In lieu of an approved plan, a letter from the AVAQMD waiving this requirement shall be submitted.
46. Prior to commencing hauling operations for this project, the applicant shall obtain a hauling permit for an import/export of > 100 CY of hauling material to/from the project within the public right-of-way including the export/receiving site and an exhibit of the proposed haul route. The applicant is responsible to obtain approval from all applicable agencies for the material hauling operation. The designated haul route shall be designed to the requirements of the City of Lancaster Design Guidelines, Standards, and Municipal Code and to the satisfaction of the Public Works Director.
 - a. The applicant shall comply with the following requirements for the material hauling operation:
 - i. The hours of operation shall be approved by the Public Works Director.
 - ii. Provide non-stop street sweeping service on all City streets along the haul route during all hours of work to the satisfaction of the Public Works Director.
 - iii. Provide traffic control and flagging personnel along the haul route to the satisfaction of the Public Works Director.
 - iv. When required by the Public Works Director, the applicant shall post a security to serve as surety of repair in the event facilities within the City right-of-way are adversely impacted by the hauling operations.

- b. Prior to issuance of building permits/Tract/Parcel Map approval/building occupancy/release of security, whichever comes first, the applicant shall repair any pavement damaged by the material hauling operation to the satisfaction of the Public Works Director. The security will not be reduced or released or building occupancy given until the completion of the repair work. The limits of the road repairs shall be consistent with the approved haul route and determined by the Public Works Director.

SEWER

47. Prior to final map approval, sewer plan/lateral connection approval, and/or sewer permit issuance, the applicant shall acquire and dedicate all required easements for sewer improvements as identified in the final sewer area study report on the Tract Map or by separate instrument. All right-of-way dedications will be to the satisfaction of the City Engineer.
48. Prior to sewer plan/lateral connection approval, and/or sewer encroachment permit issuance, the applicant shall submit a public sewer plan consistent with the approved site plan and conditions of approval. The sewer plan shall be based on an approved Sewer Area Study.
49. Prior to final map approval, sewer plan/lateral connection approval, and/or sewer encroachment permit issuance, whichever comes first, the applicant shall obtain approval of the final sewer area study. The final sewer facilities shall be based on the approved sewer area study and will be designed based on the City of Lancaster Engineering Design Guidelines Policies and Procedures Section 2.4, and/or to the satisfaction of the Public Works Director. Any on-site and/or off-site mitigation measures required by the approved sewer area study shall be constructed prior to first occupancy.
50. Per the direction of the Public Works Director, provide a sewer area study prior to submittal of the final map.
51. Prior to building occupancy, approval of this project is contingent upon the installation of local main line sewers and separate laterals to serve each structure at such time as the permanent structures are constructed on the site.
52. Prior to sewer plan approval, the streets shall be designed to avoid creating sump conditions to the satisfaction of the Public Works Director. Local main line sewers shall not be allowed through lot easements. Local main line sewers shall be allowed through fee title dedicated drainage paths, paseos or other pedestrian walkways and passageways.

WATER

53. The project shall be served by adequately sized water system facilities, including fire hydrants, of sufficient size to accommodate the total domestic and fire flows required for the land division. Domestic flows required are to be determined by the Public Works Director. Fire flows required are to be determined by the Fire Chief. There shall also be filed with this project a statement from the water purveyor indicating that water service shall be provided to each lot and that the proposed water mains and any other required facilities will be operated by the purveyor and that under normal operating conditions the system will meet requirements for the land division.
54. Per the direction of the Community Development Manager and the Public Works Director, the applicant shall be required to comply with all Ordinances in effect at the time of project construction to address the balance of water supply to water demand.
55. In order to obtain a conditional will-serve letter, the Project applicant must secure permanent water supply entitlements sufficient to meet the Project's annual water demands as determined by the Los Angeles County Waterworks District 40 (District). This entitlement may be secured through entering an agreement with the District to purchase new State Water Project Table A or other permanent water supply through the Antelope Valley-East Kern Water Agency.
56. In addition to the condition above, the District may require that: (1) various charges/fees be paid by the owner/developer of the property; (2) on-site and off-site water system facilities be installed by a State licensed contractor retained by the owner/developer, and inspected and accepted by the District, using plans prepared by a licensed engineer that are reviewed by the District; or (3) a combination of (1) and (2). Once constructed to the satisfaction of the District, the water system facilities are to be dedicated gratis to the District for subsequent operation and maintenance.

LANDSCAPING

57. Prior to landscape encroachment permit, landscape plans shall be prepared in accordance with Ordinance No. 1070 and submitted to the Development Engineering Section of Public Works Department, along with required plan check fees, for review and approval prior to the installation of landscaping or irrigation systems. Such plans are to be incorporated into development of the site and shall show size, type, and location of all plants, trees, and irrigation facilities.
58. Prior to Tract Map approval, the applicant shall dedicate landscape easements fronting the project site, as directed by the Public Works Director.
59. Prior to building occupancy, provide landscape easement and maintenance district along primary and secondary arterials, in accordance with City policy. The irrigation system, landscape plan, and plant materials are subject to approval by the Community Development Director. The construction materials, color, and design of the decorative (i.e. slump stone, split faced with brick pilasters, and decorative brick cap) masonry wall

abutting the landscape maintenance district and entry street is subject to approval of the Community Development Director. The irrigation and plant materials shall be installed and completed to the satisfaction of the Community Development Director prior to occupancy of any residence within the development. In addition, add a one- to two-course high block wall along the back of the sidewalk to protect the landscaping and irrigation, and to prevent runoff.

60. Prior to building occupancy, developer shall install a “purple pipe” irrigation system in all landscape maintenance districts to provide for future connection to a recycled water system to the satisfaction of the Public Works Director.

OTHER

61. The applicant shall pay a fee to the City of Lancaster in the sum of \$770.00 per gross acre, to be held in the biological mitigation fund as established by the City Council. Payment of said fee shall occur prior to Final Map for Parcel/Tract Maps and prior to or concurrent with the approval of a grading permit for all other projects. Additionally, should the applicant be required to pay mitigation fees under the California Department of Fish and Wildlife, these fees can be deducted from the amount collected by the City of Lancaster.
62. Prior to final map submittal, applicant shall perform a new detailed boundary survey in the surrounding quarter section showing current monumentation and measurements affecting the subject property.

TRAFFIC ENGINEERING

REQUIRED TRAFFIC IMPROVEMENT PLANS

63. Prior to issuance of the street improvement encroachment permit, the applicant shall obtain approval of a signing and striping plan. The signing and striping plan shall be completed in accordance with all City of Lancaster standards, as directed by the Public Works Director.
64. Prior to issuance of the street improvement encroachment permit, the applicant shall obtain approval of temporary traffic control plan and allowable working hours, as directed by the Public Works Director.

STREET RIGHT-OF-WAY REQUIREMENTS

65. Prior to issuance of building permits or Final Map approval, whichever comes first, improve and offer for dedication:
 - a. Avenue M-4 at 29 feet of an ultimate 54-foot right of way
 - b. 35th Street West at 68 feet of an ultimate 80-foot right of way

66. Prior to issuance of building permits, the applicant shall dedicate a corner cutoff at all intersections, as defined in the City of Lancaster Engineering Design Guidelines (Section 2.2.10.6.1 or 2.2.10.6.2).

STREET IMPROVEMENTS

67. Prior to building occupancy, the applicant shall construct the following street improvements within/along the frontage of the project site, as directed by the Public Works Director:

Street Name	Curb & Gutter	Base & Paving	Street Lights	Street Trees	Sidewalk (5' min)	Raised Median	Painted Median	Class I/IV Bike Lane	Class II Bike Lane	LMD Easement
35 th Street W	X	X	X	X	X					X
Avenue M-4	X	X	X	X	X					X
Avenue M-8	X	X	X	X	X		X			
"A" – "D" Street	X	X	X	X	X					

68. Prior to issuance of building permits or Final Map approval, whichever comes first, improve Avenue M-4 to include:
- 17 feet of pavement from the centerline to the top of curb
 - 10-foot adjacent sidewalk
69. Prior to issuance of building permits or Final Map approval, whichever comes first, improve Avenue M-8 to include:
- 7-foot painted median
 - 23 feet of pavement from the painted median to the top of curb
 - 6-foot adjacent sidewalk
 - 18-foot easement to be placed in a landscape maintenance district
70. Prior to issuance of building permits or Final Map approval, whichever comes first, improve 35th Street West to include:

- a. 34 feet of pavement from the centerline to the top of curb
 - b. 6-foot adjacent sidewalk
 - c. 18-foot easement to be placed in a landscape maintenance district
- 71. Prior to building occupancy, the applicant shall construct base and paving, if existing conditions are determined to be substandard or do not meet City of Lancaster current pavement condition standards, or if this condition is applied to a new facility. The base and paving shall be constructed along the property frontage up to centerline and include additional improvements beyond centerline as follows:
 - a. 17 feet of pavement on Avenue M-4.
 - b. 7-foot painted median and 21 feet of pavement on Avenue M-8.
 - c. 28 feet of pavement on 35th Street West.
- 72. Prior to issuance of building permits or Final Map approval, whichever comes first, the applicant shall dedicate the following easements as a Landscape Maintenance District:
 - a. 18-foot easement along Avenue M-8.
 - b. 18-foot easement along 35th Street East
- 73. Prior to building occupancy, the applicant shall construct additional pavement as required to transition to the existing pavement in accordance with City of Lancaster Engineering Design Guidelines (Section 2.2.10.24), to the satisfaction of the Public Works Director.
- 74. Prior to building occupancy, the applicant shall install conduit, pull rope, and pull boxes along regional, primary, and secondary arterials to the nearest arterial intersection to be used for future Traffic Signal Communication Interconnect. The interconnect system shall be installed in accordance with the specifications approved by the Traffic Section, to the satisfaction of the Public Works Director.
- 75. Prior to occupancy, the applicant shall design and construct City owned and maintained street lighting systems. Street lighting system shall be designed using an LS-3 rate schedule unless the new lights can be connected to an existing LS-2 rate schedule system and Southern California Edison will not require the installation of a pedestal. The Developer's engineer shall prepare all plans necessary to build said street lighting system in accordance with Southern California Edison and City of Lancaster standards.

DRIVEWAY REQUIREMENTS

- 76. Prior to issuance of the street improvement encroachment permit, the applicant shall show on the street plan drive approaches using a modified commercial driveway design

(SPPWC 110-1, Type C or equivalent) with a minimum radius of 15 feet and that will provide a street/drive approach transition with a maximum algebraic grade difference of 10%. Construction details shall be shown on the street plan providing a transition no greater than this maximum.

77. Prior to issuance of building permits, the applicant shall dedicate the right to restrict direct vehicular ingress and egress on all streets having a projected volume of 2,000 vehicle trips each day and within 100 feet of any secondary or primary arterial, on the Tract Map or by separate document.

FEE REQUIREMENTS

78. Prior to site plan approval, the applicant shall pay all required CEQA VMT Analysis review fees as outlined under II-Development Services, Section 2: Engineering Fees, Traffic Study Review in the City's most current Fee Schedule.
79. Prior to Final site plan approval, the applicant shall pay all required CEQA VMT Mitigation Fees as determined in an associated VMT Analysis Report reviewed and approved by the City.

ENVIRONMENTAL

80. Prior to ground disturbance activities, the project operator shall provide evidence to the Community Development Director that the project operator and/or construction manager has developed a "Valley Fever Training Handout", training, and schedule of sessions for education to be provided to all construction personnel. All evidence of the training session materials, handout(s) and schedule shall be submitted to the Community Development Director within 24 hours of the first training session. Multiple training sessions may be conducted if different work crews will come to the site for different stages of construction; however, all construction personnel shall be provided training prior to beginning work. The evidence submitted to the Community Development Director regarding the "Valley Fever Training Handout" and Session(s) shall include the following:
 - a. A sign-in sheet (to include the printed employee names, signature, and date) for all employees who attended the training session.
 - b. Distribution of a written flier or brochure that includes educational information regarding the health effects of exposure to criteria pollutant emissions and Valley Fever.
 - c. Training on methods that may help prevent Valley Fever infection.
 - d. A demonstration to employees on how to use personal protective equipment, such as respiratory equipment (masks), to reduce exposure to pollutants and facilitate recognition of symptoms and earlier treatment of Valley Fever. Where respirators are required, the equipment shall be readily available and shall be provided to employees for use during

work. Proof that the demonstration is included in the training shall be submitted to the county. This proof can be via printed training materials/agenda, DVD, digital media files, or photographs.

The project operator also shall consult with the Los Angeles County Public Health Department to develop a Valley Fever Dust Management Plan that addresses the potential presence of the *Coccidioides* spore and mitigates for the potential for *Coccidioidomycosis* (Valley Fever). Prior to issuance of permits, the project operator shall submit the Plan to the Los Angeles County Public Health Department for review and comment. The Plan shall include a program to evaluate the potential for exposure to Valley Fever from construction activities and to identify appropriate safety procedures that shall be implemented, as needed, to minimize personnel and public exposure to potential *Coccidioides* spores. Measures in the Plan shall include the following:

- a. Provide HEP filters for heavy equipment equipped with factory enclosed cabs capable of accepting the filters. Cause contractors utilizing applicable heavy equipment to furnish proof of worker training on proper use of applicable heavy equipment cabs, such as turning on air conditioning prior to using the equipment.
- b. Provide communication methods, such as two-way radios, for use in enclosed cabs.
- c. Require National Institute for Occupational Safety and Health (NIOSH)-approved half-face respirators equipped with minimum N-95 protection factor for use during worker collocation with surface disturbance activities, as required per the hazard assessment process.
- d. Cause employees to be medically evaluated, fit-tested, and properly trained on the use of the respirators, and implement a full respiratory protection program in accordance with the applicable Cal/OSHA Respiratory Protection Standard (8 CCR 5144).
- e. Provide separate, clean eating areas with hand-washing facilities.
- f. Install equipment inspection stations at each construction equipment access/egress point. Examine construction vehicles and equipment for excess soil material and clean, as necessary, before equipment is moved off-site.
- g. Train workers to recognize the symptoms of Valley Fever, and to promptly report suspected symptoms of work-related Valley Fever to a supervisor.
- h. Work with a medical professional to develop a protocol to medically evaluate employees who develop symptoms of Valley Fever.

Work with a medical professional, in consultation with the Los Angeles County Public Health, to develop an educational handout for on-site workers and surrounding residents within three miles of the project site, and include the following information on Valley Fever: what are the potential sources/ causes, what are the common symptoms, what are the options or remedies available should someone be experiencing these symptoms, and where testing for exposure is available. Prior to construction permit issuance, this handout shall have been created by the project operator and reviewed by the project operator and reviewed by the Community Development Director. No less than 30 days prior to any work commencing, this handout shall be mailed to all existing residences within a specified radius of the project boundaries as determined by the Community Development Director. The radius shall not exceed three miles and is dependent upon the location of the project site.

- a. When possible, position workers upwind or crosswind when digging a trench or performing other soil-disturbing tasks.
 - b. Prohibit smoking at the worksite outside of designated smoking areas; designated smoking areas will be equipped with handwashing facilities.
 - c. Post warnings on-site and consider limiting access to visitors, especially those without adequate training and respiratory protection.
 - d. Audit and enforce compliance with relevant Cal OSHA health and safety standards on the job site.
81. The project applicant shall obtain a Western Joshua Tree Conservation Act permit from the California Department of Fish and Wildlife to remove the Joshua trees on the project site. As part of obtaining the Western Joshua Tree Conservation Act permit, the project applicant shall follow all measures outlined in the executed permit and pay all mitigation fees identified under the Western Joshua Tree Conservation Act. A copy of the fully executed permit shall be provided to the City of Lancaster prior to the issuance of any construction-related permits.
82. The project applicant shall obtain a permit from the California Department of Fish and Wildlife for the removal of the dead Joshua trees prior to any ground disturbing activities. A copy of the permit shall be submitted to the City.
83. A pre-construction burrowing owl clearance survey shall be conducted no more than 30 days prior to any vegetation removal or ground disturbing activities to avoid impacts to burrowing owls and/or occupied burrows. The pre-construction clearance survey shall be conducted by a qualified biologist and in accordance with the methods outlined in the Staff Report on Burrowing Owl Mitigation (California Department of Fish and Game 2012). Documentation of surveys and findings shall be submitted to the City of Lancaster for

review and file. If no burrowing owls or occupied burrows are detected, project activities may begin, and no additional avoidance and minimization measures shall be required.

If an occupied burrow is found outside, but within 500 feet, of the development footprint, the qualified biologist shall establish a “no-disturbance” buffer around the burrow location(s). The size of the “no-disturbance” buffer shall be determined in consultation with CDFW and be based on the species status (i.e., breeding, non-breeding) and proposed level of disturbance. If an occupied burrow is found within the development footprint and cannot be avoided, a burrowing owl exclusion and mitigation plan shall be prepared and submitted to CDFW for approval prior to initiating project activities.

84. A nesting bird survey shall be conducted by a qualified biologist within 14 days prior to the start of any construction/ground disturbing activities. The qualified biologist shall survey all suitable nesting habitat within the project impact area, and areas within a biologically defensible buffer zone surrounding the project impact area. If no active bird nests are detected during the clearance survey, project activities may begin, and no additional avoidance and minimization measures shall be required. If an active bird nest is found, the species shall be identified, and a “no disturbance” buffer shall be established around the active nest. The size of the “no disturbance” buffer shall be increased or decreased based on the judgement of the qualified biologist and level of activity and sensitivity of the species. At a minimum, the buffer shall be at least 500 feet around active raptor nests and 50 feet around nests of migratory bird species. The qualified biologist shall periodically monitor any active bird nests to determine if project-related activities occurring outside the “no-disturbance” buffer disturb the birds and if the buffer shall be increased. Once the young have fledged and left the nest, or the nest otherwise becomes inactive under natural conditions, project activities within the “no-disturbance” buffer may occur following an additional survey by the qualified biologist to search for any new bird nests in the restricted area.
85. In the event that cultural resources are discovered during project activities, all work in the immediate vicinity of the find (within a 60-foot buffer) shall cease and an archaeologist meeting the Secretary of Interior’s professional qualification standards in archaeology shall be hired to assess the find. Work on the other portions of the project outside of the buffered area may continue during this assessment period. Additionally, the Yuhaaviatam of San Manuel Nation Cultural Resources Department (YSMN) shall be contacted, as detailed within TCR-1, regarding any pre-contact and/or historic-era finds and be provided information after the archaeologist makes his/her initial assessment of the nature of the find, so as to provide Tribal input with regards to significance and treatment.
86. If cultural resources are discovered during project activities, all work in the immediate vicinity of the find (within a 60-foot buffer) shall cease and a qualified archaeologist meeting Secretary of Interior standards retained by the project applicant shall assess the find. Work on the portions of the Projects outside of the buffered area may continue during this assessment period. Should the find be deemed significant, as defined by CEQA

(as amended, 2015), the Project applicant shall retain a professional Tribal Monitor procured by the FTBMI to observe all remaining ground-disturbing activities including, but not limited to, clearing, grading, excavating, digging, trenching, plowing, drilling, tunneling, quarrying, leveling, driving posts, auguring, blasting, stripping topsoil or similar activity, and archaeological work.

87. The Lead Agency and/or applicant shall, in good faith, consult with the FTBMI on the disposition and treatment of any Tribal Cultural Resource encountered during all ground disturbing activities.
88. If significant pre-contact and/or historic-era cultural resources, as defined by CEQA (as amended, 2015), are discovered and avoidance cannot be ensured, the archaeologist shall develop a Monitoring and Treatment Plan, the drafts of which shall be provided to YSMN for review and comment, as detailed within TCR-1. The archaeologist shall monitor the remainder of the project and implement the Plan accordingly.
89. If human remains or funerary objects are encountered during any activities associated with the project, work in the immediate vicinity (within a 100-foot buffer of the find) shall cease and the County Coroner shall be contacted pursuant to State Health and Safety Code §7050.5 and that code enforced for the duration of the project.
90. If human remains or funerary objects are encountered during any activities associated with the Project, work in the immediate vicinity (within a 100-foot buffer of the find) shall cease and the County Coroner shall be contacted pursuant to State Health and Safety Code §7050.5 and that code shall be enforced for the duration of the Project.
 - a. Inadvertent discoveries of human remains and/or funerary object(s) are subject to California State Health and Safety Code Section 7050.5, and the subsequent disposition of those discoveries shall be decided by the Most Likely Descendant (MLD), as determined by the Native American Heritage Commission (NAHC), should those findings be determined as Native American in origin.
91. The Yuhaaviatam of San Manuel Nation Cultural Resources Department (YSMN) shall be contacted, as detailed in CUL-1, of any pre-contact and/or historic-era cultural resources discovered during project implementation, and be provided information regarding the nature of the find, so as to provide Tribal input with regards to significance and treatment. Should the find be deemed significant, as defined by CEQA (as amended, 2015), a cultural resources Monitoring and Treatment Plan shall be created by the archaeologist, in coordination with YSMN, and all subsequent finds shall be subject to this Plan. This Plan shall allow for a monitor to be present that represents YSMN for the remainder of the project, should YSMN elect to place a monitor on-site.
92. Any and all archaeological/cultural documents created as a part of the project (isolate records, site records, survey reports, testing reports, etc.) shall be supplied to the

applicant and Lead Agency for dissemination to YSMN. The Lead Agency and/or applicant shall, in good faith, consult with YSMN throughout the life of the project.

93. The applicant shall submit the required Construction Excavation Fee to the Antelope Valley Air Quality Management District (AVAQMD) prior to the issuance of any grading and/or construction permits. This includes compliance with all prerequisites outlined in District Rule 403, Fugitive Dust, including submission and approval of a Dust Control Plan, installation of signage and the completion of a successful onsite compliance inspection by an AVAQMD field inspector. Proof of compliance shall be submitted to the City.
94. Construction operations shall not occur between 8 p.m. and 7 a.m. on weekdays or Saturday or at any time on Sunday. The hours of any construction-related activities shall be restricted to the periods and days permitted by local ordinance.
95. The on-site construction supervisor shall have the responsibility and authority to receive and resolve complaints. A clear appeal process to the owner shall be established prior to construction commencement that will allow for resolution of noise problems that cannot be immediately solved by the site supervisor.
96. Electrically powered equipment shall be used instead of pneumatic or internal combustion powered equipment, where feasible.
97. Material stockpiles and mobile equipment staging, parking and maintenance areas shall be located as far away as practicable from noise-sensitive receptors.
98. The use of noise producing signal, including horns, whistles, alarms, and bells shall be for safety warning purposes only.
99. No project-related public address or music system shall be audible at any adjacent receptor.
100. All noise producing construction equipment and vehicles using internal combustion engines shall be equipped with mufflers, air-inlet silencers where appropriate, and any other shrouds, shields, or other noise-reducing features in good operating condition that meet or exceed original factory specifications. Mobile or fixed "package" equipment (e.g., arc-welders, air compressors, etc.) shall be equipped with shrouds and noise control features that are readily available for the type of equipment.
101. The proposed project shall pay \$84,000 to mitigate its VMT impacts in accordance with the City's Vehicle Miles Traveled Impact Fee Mitigation Program approved by the City Council on January 24, 2023.